### **Mostardi Platt**

E.6 2/2/105

1520 Kensington Road, Suite 204 Oak Brook, Illinois 60523-2139 Phone 630-993-2100 Fax 630-993-9017 www.mostardiplattenv.com

February 21, 2005

Mr. Thomas Geishecker
Acting Chief
U.S. Environmental Protection Agency
Region V
77 West Jackson Boulevard
Chicago, Illinois 60604-3590

EPA Region 5 Records Ctr.

Re: Lyon Workspace Products, LLC (Lyon), Montgomery, Illinois

RRG/Clayton Chemicals Site, Sauget, Illinois Response to Letter Dated November 22, 2004 General Notice of Potential Liability

Dear Mr. Geishecker:

Please be advised that Mostardi Platt Environmental (MPE) is retained on a continuous basis to manage the environmental affairs of Lyon Metal Products, LLC, 420 North Main Street, Montgomery, Illinois 60538, as it concerns the subject matter.

An in-depth review, evaluation/analysis of the historical documents, file reports, site assessments, manifests, multimedia inspections conducted by the U.S. Illinois Environmental Protection Agency (USEPA), Illinois Environmental Protection Agency (IEPA), Sauget Task Force, and Clayton Chemical has been investigated. MPE believes the record of facts and exhibits submitted will technically support and establish that Lyon, a potentially responsible party (PRP) in the USEPA November 22, 2004 general notice letter, had little or no environmental impairment at the site.

Although Lyon did not participate in the Phase I liquids cleanup, a third-party resolution and monetary settlement was reached in which Lyon denies contributing to the release or threatened release of hazardous substances, pollutants, and contaminants at the above-referenced site, and therefore, would not have an impact on the Phase II soil remediation.

For the record, MPE submits the following for justification for delisting Lyon as a PRP.

### Inspection Audits by USEPA and IEPA

1. The IEPA and USEPA conducted inspections on six occasions over the protracted period of time. In each instance, no Lyon containers, drums, or totes were identified. The solvent (toluene) paint flush product was reclaimed and immediately returned to Lyon as

recycled solvent under a bill of lading in commerce. Lyon did not characterize this product as a hazardous waste but a return on investment, a valuable resource conservation management effort, in the spirit and intent of the RCRA Act. The content of the paint flush is estimated at 5 to 10% resin, 90 to 95% toluene. Considering a conventional 90% distillation efficiency =

```
161,625 = Gallons Shipped (Paint Flush)
-16,162 = Resin Content

145,463 = Gallon Solvent Toluene

145,463
-14,546 = 10% Residue (Kiln Fuel)
130,917 = Gallons Toluene Reclaimed
```

Based on the above, Lyon is requesting that proper credits be issued for its regulatory waste minimization efforts and reclassify and adjust Lyon's volumetric ranking to a total of 14,546 gallons, well under the 75,000 gallons volumetric ranking of PRPs.

- 2. A review of Section 5 Generators, Quantitative Data of 1979-98, indicates a Lyon total of 250,815 gallons. Lyon records do not concur with this total, and is <u>overstated</u> by 89,190 gallons (exhibit).
- 3. Roy F. Weston, Inc. (Weston) and Project Resources, Inc. (PRI) were retained under USEPA Superfund Technical Assessment and Response Team (START) Contract 68-W-00-10 to perform a liquid removal site evaluation of drums, tanks, containers, sampling and reviewing the analytical data at the RRG site. All hazcat activities were conducted under the authority of the USEPA on-scene coordinator on June 5 through June 7, 2001. The drum team inventory summaries were found in Table 4-9 through 4-12 of the report. A review of these tables did not indicate and/or identify Lyon product at the site (exhibit).
- 4. On May 13 and 14, 1997, an inspection was conducted at the subject facility by the USEPA, IEPA, and the American Bottoms Regional Wastewater Treatment Plant. The inspection did not indicate or identify any Lyon drums (exhibit).
- 5. On May 28, 2003, Enviro-Vac, Jacksonville, Illinois, submitted a bid proposal to the PRP Participation Group to remove the liquid waste inventory. The scope of work (SOW) included liquid removal of all tanks and drums, etc. The drum storage area inventory did not indicate or identify any Lyon drums (exhibit).

- 6. Lyon contracted with Environmental Waste Services (EWS) to purchase the reclaimed solvent. EWS did arrange for the transport and treatment to Clayton Chemical RRG TSDF facility. The reconstituted product purchased from EWS (broker) was legally in accordance with the RCRA, EPA and OSHA labeling requirements. Lyon was issued a material safety data sheet (MSDS) with each delivery. EWS assumed title custody and responsibility for all paint flush. Lyon did not arrange or pay for the transport and treatment. EWS is a permitted RCRA hazardous waste management facility as defined (35 IAC) 702.110 (exhibit). A certificate of destruction was issued for the residue (exhibit) burned for energy recovery.
- 7. Under Environmental Waste Services Liability Title 42 Chapter 103 CERCLA, Subchapter I Hazardous Substance Releases, Liability Section 9607 Statute (a)(4) states:
  - "Any person who accepts or accepted any hazardous substances for transport to disposal or treatment facilities, incineration vessels or sites selected by such person, from which there is a release, or a threatened release which causes the incurrence of response costs, of a hazardous substance, shall be liable for —
  - (A) All costs of removal of remedial action incurred by the United States Government or a State or an Indian Tribe not inconsistent with the National Contingency Plan," establishes the liability responsibility to the broker EWS.

There shall be no liability under subsection (a) of this section for a person otherwise liable who can establish by a preponderance of the evidence that the release or threat of release of a hazardous substance and the damages resulting therefrom were caused solely by (3) an act of omission of a third party other than the employee or agent of the defendant, or than one whose act or omission occurs in connection or indirectly with the defendant.

- 8. Under Section 9627 Recycling Transactions (a) Liability Clarification further state:
  - "(1) as provided in subsections (b) (c) (d) and (e) of this section, a person who arranged for recycling of recyclable material shall not be liable under Section 9607 (a)(3) and 9607 (a)(4) of this Title with respect to such material. (c)(1)(2)(3)(4)"

Lyon's contract with EWS was only to purchase recycled solvent in commerce.

There is some documentary information suggesting that the United States and the State of Illinois may have contributed amounts of waste materials at the site. Under CERCLA, where the United States is both plaintiff and PRP, may cash out its liability at the site and agrees to pay its percentage of costs.

### History at the Site

Over a protracted period of time (early 1900s to 1998), the site (Clayton/RRG) was utilized by a multiplicity of SIC groups in a heavily industrialized area, all of which involved those compounds of concern (COCs), which have impacted and contributed to the contamination and release that currently exists at the site. Additionally, there are Superfund sites on the perimeter and directly adjacent to the RRG site on the EPA national Priority Cleanup Register under CERCLA program. The entire region is environmentally impaired and is the home of numerous closed solid waste disposal sites, pits, sludge lagoon, and industrial dumping. During the 1960s, historical data indicates soil and groundwater contamination to the Mississippi River from Monsanto Chemical and Krumrich Dump #1.

Other entities associated with the soil contamination are Falling Rock Road, Dead Creek, Sauget-Sauget Dump, Sauget POTW inactive sludge lagoons, former Still Bottoms pit/disposal area, A-1 Waste Oil Storage, Bliss UST Trade Waste Incinerator (TWI), and Underground Pipeline.

Furthermore, GM&O Railroad utilized the site as a maintenance yard, in addition to the I.C. Railroad. Previous owners of the site include Environmental Operations, Inc., Specialty Waste Services, Inc., Emerald Environmental, Village of Sauget, and Northeast Chemical Inc.

As provided in the Hazardous Substance Pollution Contingency Plan (NCR) 40 CFR – Section 300.415, it is incumbent upon the lead agency to conduct an engineering/evaluation/cost analysis (EE/CA) of alternatives which take into full consideration of the total regional remediation area which there exists numerous NPL Superfund sites which all directly and/or indirectly have impacted the soil and groundwater over a 105 year period and should be an integral part of the overall remediation strategy.

Finally, the site is a true environmental justice concern—the typical site for which CERCLA (Superfund) was promulgated, ad to prioritize the site for cleanup using its own environmental restoration appropriations and/or the judgment fund money in accordance with U.S. Department of Justice Directive No. 00-33.

In closing, Lyon did not arrange for the transport and treatment. Lyon did not pay for these services. Lyon did agree to purchase from EWS the reclaim solvent product as part of its Resource Conservation and Recovery Program. An MSDS was issued with each purchase under a commercial bill of lading. Lyon respectfully requests your consideration and approval to delist Lyon as a PRP and/or a de minimus classification.

Please feel free to contact me at 623-975-9565 should you have any questions.

Thank you. I look forward to your reply.

Very truly yours,

MOSTARDI PLATT ENVIRONMENTAL

Philip J. Molé Vice President

Attachments: Exhibits

cc: William E. Muno, Director Superfund USEPA

R. P. Washington, Lyon

D. Harrison, Lyon

J. Gosselin, Lyon

The mole!

P. Kinnally

### Table 49 (Continued)

## DRUM DOCK BUILDING INVENTORY - DRUM, CONTAINER SURVEY CLAYTON CHEMICAL SITE ANALYSIS SAUGET, ST. CLAIR COUNTY, ILLINOIS JUNE 5, 2001 TO JUNE 7, 2001

Generator	PDS NO.	Bay Number	Description	IEPA#	Comments
ADM Vitamin E	2235A	1	Hazardous Solids	77	passed flammable
Republic	2219A	1	Hazardous Solids	7	
Republic	2219A	1	Hazardous Solids	8	
RPS	2233A	2	Toxic Solids	78	
ADM Com Sweetener	2174A	3	Hazardous Solids	25	
Komatsu	2220B	3	Lezardous Solids	37	
Komatsu	2220B	3	Hazardous Solids	29	
Chemetco	2191A	6	Hazardous Solids	47	
Nascote	2247A	13	Hazardous Solids	95	
Nascote	2242A	13	Hazardous Solids	100	
Nascole	2242A	13	Hazardous Solids	99	
Nascote	2242A	13	Hazardous Solids	98	
Nascote	2242A	13	Hazardous Solids	97	
Nascole	2242A	13	Hazardous Solids	96	
Nascole	2242A	13	Hazardous Solids	95	
Nascote	2242A	13	Hazardous Solids	94	
Nascote	2242A	13	Hazardous Solids	93	
Nascote	2242A	13	Hazardous Solids	92	
Nascote	2242A	13	Hazardous Solids	91	
Nascote	2242A	13	Hazardous Solids	89	
Nascote	2242A	13	Hazardous Solids	88	
Nascote	2242A	13	Hazardous Solids	87	
Nascote	2242A	13	Hazardous Solids	86	
Nascote	2242A	13	Hazardous Solids	Over pack	
Nascote	2242A	13	Hazardous Selids	Over pack	
Nascote	2242A	13	Hazardous Solids	Over pack	
Nascote	2242A	!3	Hazardous Solids	Over pack	
Nascote	2242A	13	Hazardous Solids	Over pack	

### Table 49 (Continued)

# DRUM DOCK BUILDING INVENTORY - DRUM, CONTAINER SURVEY (LAYTON CHEMICAL SITE ANALYSIS NAUGET, ST. CLAIR COUNTY, ILLINOIS JUNE 5, 2001 TO JUNE 7, 2001

Generator	PDS NO.	Bay Number	Description	IEPA#	Comments
CIPS	1114A	13	Non Haz Ethylene Glycol	110	
CIPS	1114A	13	Non Haz Ethylene Glycol	109	
CIPS	1114A	13	Non Haz Ethylene Glycol	108	
CIPS	1114A	13	Non Haz Ethylene Glycol	107	
CIPS	1114A	13	Non Haz Ethylene Glycol	113	
CIPS	1114A	13	Non Haz Ethylene Glycol	114	
CIPS	1114A	13	Non Haz Ethylene Glycol	115	
CIPS	1114A	13	Non Haz Ethylene Glycol	116	
Nonhrop	1207A	13	Non Haz Ethylene Glycol	112	
ADM Com Sweetners	1874C	2	Non Haz Semi-Solids	15 ,	
ADM Corn Sweetners	1874C	2	Non Haz Semi-Solids	16	
ADM Com Sweetners	1874C	2	Non Haz Semi-Solids	17	
ADM Com Sweetners	1874C	2	Non Haz Semi-Solids	18	
ADM Com Sweetners	1874C	2	Non Haz Semi-Solids	20	
ADM Com Sweetners	1619A	3	Non Hazardous Solids	27	
ADM Mechanical	1669D	4	Non Hazardous Solids	43	
Nascote	2243C	7	Non Hazardous Solids	66	
Sligo	1784A	7	Non Hazardous Solids	67	
National Graphics	2033D	3	Non Hazardous Solids	64	
National Graphics	2033B	3	Non Hazzrdous Solids	65	
National Graphics	2033D	3	Non Hazardous Solids	69	
ADM East	2040A	ţ	Non Hazardous Solids	6	
ADM Fahrication	1370A	2	Oxidizing Solid	Not found	Not Found
ADM Fabrication	1370A	13	Oxidizing Solid	14	
RRG Internal	Internal	6	Perc Solids from Reclaim/Consol	49	PEXCHLOR
RRG Internal	Internal	Ó	Perc Solids from Reclaim/Consol	50 4	PLE
RRG Internal	Internal	6	Perc Solids from Reclaim/Consol	51	Maybe extremely haz
RRG Internal	Internal	6	Perc Solids from Reclaim/Consol	52 ~	

I/WO/START/J0760 T4-9.WPD

### Table 4-9 (Continued)

### DRUM DOCK BUILDING INVENTORY - DRUM, CONTAINER SURVEY CLAYTON CHEMICAL SITE ANALYSIS SAUGET, ST. CLAIR COUNTY, ILLINOIS JUNE 5, 2001 TO JUNE 7, 2001

Generator	PDS NO.	Bay Number	Description	IEPA#	Comments
RRG Internal	internal	6	Perc Solids from Reclaim/Consol	58	
RRG Internal	Internal	6	Perc Solids from Reclaim/Consol	59	PCE
RRG Internal	Internal	6	Perc Solids from Reclaim/Consol	60 4	
RRG Internal	Internal	6	Perc Solids from Reclaim/Consol	61	
RRG Internal	Internal	6	Perc Solids from Reclaim/Consol	62	
St Louis Parks	633B	1	Soap Water	41	
National Graphics	2032A	13	Sodium Hydroxide	11	
Petrolite	2119A	13	Sodium Hydroxide	30	
ADM Fabrication	1367D	13	Sodium Nitrate	23	
RRG	not labeled	3	Waste Solids	no label	
RRG	not labeled	3	Flammable	no label	
RRG	not labeled	3	Waste Solids	no label	
Label Scratched	Can't Read	3	Hazardous Solid	no label	
RRG	not labeled	6	Sludge Accumilation	48	not laheled
National Graphics	2032B	6	Nitric Acid	63	5 gallon bucket
National Graphics	2032D	7	Non Hazardous Liquid	68	
Generator Unknown	2070A	8	Flammable Liquid	no label	
RRG	not labeled	south room	Flammable Liquid	122	5 gallon bucket
RRG	not labeled	south room	Floor Dry	121	l gallon
ADM Fabrication	1367B	13	Caustic Soda	4	l gallon
National Graphics	2032A	13	Sodium Hydroxide	12	
RRG	1279A	collection area	Sampling Jars	Not found	Collection Area
RRG	NA	see comments	Approximately 2,536 Sampling Jars in boxes and jars	Not found	Located on southwest/southea st wall.

key PDS NO = A number found on the drums and corresponds to RRG weekly drum inventory

### Table 4-11

### BOILER GARAGE BUILDING INVENTORY - TANK, DRUM, CONTAINER SURVEY CLAYTON CHEMICAL SITE ANALYSIS SALGET, ST. CLAIR COUNTY, ILLINOIS

JUNE 5, 2001 TO JUNE 7, 2001

TYPE OF MATERIAL	NUMBER OF ITEMS	Comments
Unknown Solid	1	5 gallons
Miscellaneous Boiler Chemicals	1	35 gallons
Miscellaneous Boiler Chemicals	1	55 gallon>
Fiber Drum Solid Desicate	1	35 gallons
Drum of Sodium Hexamethphospahte	1	35 gailons
Boiler Feed Water Treatment	1	20 gaflons
Lube Oil Dispenser	1	Unknown
Bags Water Sottener Salt	25	Bags _
Oxygen Scavenger Cornsive	1	20 gallons ·
Male Serve	13 Drums	All Full -
Sodium Bisultate	1	liquid
isopropanol .	1	3/4 full UN1219
Morpholine .	J	drum
Spent Carbon	6	used for absorption
Caustic Substances	35	in plastic buckets. In over-pack, For cleaning
10% Sultune Acid	1	drum
Robinol N-10	1	Non-Haz
Amonium Hydroxide	1	drum
Dry Solids	l	drum
Oakste hosler treatment	1	appears to be leaking - busted
Uknown	1	could not open/possible hazardous. No markings
Caustic Substances	3	in plastic buckets. In over-pack. For cleaning
Boiler treatment	2	5 gallons. Haif full
Colling tower treatment	1	5 gallons

DRUMS						<u>a</u>	PAGE 1
STORAGE	WASTE		UNIT	METHOD OF			
AREA	DESCRIPTION	QUANTITY		TREATMENT	COST	REMARKS	
Drum Building	Acids & Alkalies	25	\$250.00	Agueous Treatment	\$6,250.00		
Drum Bullding	Hazardous D, F Codes		┺.	Fuel Blending/BIF Fuels	\$10,080.00		
Drum Building	Non-Hazardous	က		Fuel Blending/Subtitle D	\$6,800.00		
Orum Bullding	Mercury (Hg)		Ц.	Recovery	\$460.00		
Drum Building	Oxidizer	1	$\perp$	Reduction	\$250.00		
Drum Building	Perchloroethylene	11	\$250.00	Reclamation	\$2,750.00		
Lab	Sample Compilations	-	\$500.00	Incineration	\$500.00		
		121			\$27,090.00	_	
Suarnaboration	L				\$3,000.00	Average rost per drim-\$248 88	
1000					00:000	מינים של מינ	
BULK LIQUIDS	S (Hazardous)						
T_B/C	Dlonded Eriels	7 440	21.76	40,27,00,00	412 A95 OD	ou PTI : High Waler	
T-52	Blended Fuels	3 483		Tocioeration	\$6,095.25	Hioh %Cl	
	DOCT Waster	8 43		Coloration	\$11.257.75	High Waler	
	Dilute Perchloroethylene	1,382		Incineration	\$2,436.00	Low BTU; High %CI	
	F002 Wastewater	8,79	_	Incineration	\$15,387.75	No BTU; High Water	
S-2	D001 Wastewater	9,20		Incineration	\$16,110.50	No BTU; High Water	
	MEK	4,30	\$0.45	BIF fuels	\$1,937.70	High BTU; Low Water	
	D001 Wastewater	7,90		Incineration		Low BTU; High Water	
8.8	Dilute Perchloroethylene	3,80	\$1.75	Incineration	\$6,650.00	High %CI	
SUBTOTAL		52,461			\$86,208.95		
BULK LIQUID	S (Non Hazardous	(8)					
8-5	Oil/Water	9,029	\$0.38	Separallon/Stripping	\$3,431.02		
T-11	OilWater	22,747	1	Separation/StrippIng	\$8,643.86		
T-12	OllWater	26,394		Separation/Stripping	\$10,029.72		
T-13	OilWater	26,247	\$0.38	Separation/Stripping	\$9,973.86		
T-14	Oil/Water	22,976		Separation/Stripping	\$8,730.88		
1.33	OllWater	4,537	-	Separation/Stripping	\$1,724.06		
1-37	Oil/Water	5,625	-	Separation/Stripping	\$2,137.50		
1-17	OllWater	5,437		Separation/Stripping	\$2,066.06		
141	Oll/Water	5,397	\$0.38	Separation/Stripping	\$2,050,86		
							1
	1						

STORAGE	WASTE		UNIT	METHOD OF			PAGE 2
AREA	DESCRIPTION	QUANTITY	COST	TREATMENT	COST	REMARKS	
145	Oil/Water	1,536	\$0.38	Separation/Stripping	\$583.68		
1-48	OllWater	2,754	\$0.38	Separation/Stripping	\$1,048.52		
144	Oll/Water	5,256	\$0.38	Separation/Stripping	\$1,997.28		
B-1	Oil/Water	16,638	\$0.38	Separation/Stripping	\$6,322.44		
8.2	OllWater	15,578	\$0.38	Separation/Stripping	\$5,918.88		}
8-4	Oll/Water	16,402	\$0.38	Separation/Stripping	\$6,232.76		1
G.2	Oil/Water	32,144	\$0.38	Separation/Stripping	\$12,214.72		
6-3	OllWater	241,200	\$0.38	Separation/Stripping	\$91,656.00		
G-4	Crude Oll	70,300	\$1.43	Landfill Disposal	\$100,529.00	Very Thick Material	
6-5	OllWater	169,760	\$0.38	Separation/Stripping	\$64,508.80		
G-8	OllMater	19,118	\$0.38	Separation/Stripping	\$7,264.08		
6.7	OllWater	18,408	\$0.38	Separation/Shipping	\$6,995.04		
G-8	OilWater	20,886	\$0.38	Separation/Sinpping	\$7,936.68		
6.9	Ollwater	16,933	\$0.38	Separation/Stripping	\$6,434.54		
G-10	Oil/Water	21,535	\$0.38	Separation/Stripping	\$8,183.30		
6-11	OilWater	23,452	\$0.38	Separation/Stripping	\$8,911.76	1	
						transferred to G-5 to mitigate	
						leak on 9/1/98.	
14.04010		200			Ac con ace		
SUBJUIAL		027,020			00.040,0004		-
		-		Additional Equip.	\$31,000.00		
				Laboratory Expens.	\$5,000.00		
				Sludges	\$75,000.00		
				Consumables	\$5,000.00		
	1						
				PROJECT TOTAL	\$617,822.25		

٠.

### **EXHIBIT C**

### **POTENTIAL PRPs**

- G. M. & O. Railroad (Maintenance Yard) (1950s)
- Still Bottom Disposal Pit (1961-1980)
- Clayton Chemical (1980-1996)
- Resource Recovery Group (1996-1998)
- Environmental Operations, Inc., St. Louis, MO (Owner)
- Specialty Waste Services, Inc., Alton, IL (Owner)
- Mr. Hopson Owner
- Mr. Hilse Owner
- Mr. T. Hippensteel Owner
- Mr. D. Wrobel Owner
- Mr. G. Snider Owner
- Mr. L. Stock Owner
- Environmental Waste Services, Aurora, IL
- Emerald Environmental (Purchased Clayton 1993)
- Village of Sauget, IL (Deed Property)
- Ozinga Transport
- Clark Oil Refining, IL
- Philips Pipe Line, St. Louis
- Monsanto Chemical
- Enclean Transport
- Schiber Truck
- Northeast Chemical (Purchased Clayton 1991)
- Pipeline Cleaners, Kansas City
- · Texas Pharmaceutical
- Over 1000 Small Quantity Generators Transported Waste to the Site



### Clayton Chemical Co.

CERTIFICATE OF RESOURCE RECOVERY
This certificate is to verify that the wastes and all containers specified on
Manifest #6648468
received from LYON METAL PRODUCTS, INC.
on, have been recycled to the extension
practicable by:
CLAYTON CHEMICAL COMPANY
#1 Mobile Street
Sauget, 1L 62201
and that all residuals of recycling have been properly disposed of in
accordance with all federal, state, and local hazardous waste regulations.
Signed:  James Hancy  Title:  Director of Administration
Date: 3.21.94



Invoice#\_\_\_17631

Broker: \_\_EWS \_\_\_\_

721. Appendix J Method of Analysis for Chlorinated Dibenzo-p-Dioxins and Dibenzofurans (Repealed)

721.Appendix Y Table to Section 721.138 721.Appendix Z Table to Section 721.102

AUTHORITY: Implementing Sections 7.2 and 22.4 and authorized by Section 27 of the Environmental Protection Act [415 ILCS 5/7.2, 22.4 and 27].

SOURCE: Adopted in R81-22 at 5 Ill. Reg. 9781, effective May 17, 1982; amended and codified in R81-22 at 6 Ill. Reg. 4828, effective May 17, 1982; amended in R82-18 at 7 Ill. Reg. 2518, effective February 22, 1983; amended in R82-19 at 7 Ill. Reg. 13999, effective October 12, 1983; amended in R84-34, 61 at 8 III. Reg. 24562, effective December 11, 1984; amended in R84-9 at 9 Ill. Reg. 11834, effective July 24, 1985; amended in R85-22 at 10 Ill. Reg. 998, effective January 2, 1986; amended in R85-2 at 10 Ill. Reg. 8112, effective May 2, 1986; amended in R86-1 at 10 Ill. Reg. 14002, effective August 12, 1986; amended in R86-19 at 10 Ill. Reg. 20647, effective December 2, 1986; amended in R86-28 at 11 Ill. Reg. 6035, effective March 24, 1987; amended in R86-46 at 11 III. Reg. 13466, effective August 4, 1987; amended in R87-32 at 11 III. Reg. 16698, effective September 30, 1987; amended in R87-5 at 11 Ill. Reg. 19303, effective November 12, 1987; amended in R87-26 at 12 Ill. Reg. 2456, effective January 15, 1988; amended in R87-30 at 12 Ill. Reg. 12070, effective July 12, 1988; amended in R87-39 at 12 Ill. Reg. 13006, effective July 29, 1988; amended in R88-16 at 13 Ill. Reg. 382, effective December 27, 1988; amended in R89-1 at 13 Ill. Reg. 18300, effective November 13, 1989; amended in R90-2 at 14 III. Reg. 14401, effective August 22, 1990; amended in R90-10 at 14 III. Reg. 16472, effective September 25, 1990; amended in R90-17 at 15 Ill. Reg. 7950, effective May 9, 1991; amended in R90-11 at 15 Ill. Reg. 9332, effective June 17, 1991; amended in R91-1 at 15 Ill. Reg. 14473, effective September 30, 1991; amended in R91-12 at 16 Ill. Reg. 2155, effective January 27, 1992; amended in R91-26 at 16 Ill. Reg. 2600, effective February 3, 1992; amended in R91-13 at 16 Ill. Reg. 9519, effective June 9, 1992; amended in R92-1 at 16 Ill. Reg. 17666, effective November 6, 1992; amended in R92-10 at 17 III. Reg. 5650, effective March 26, 1993; amended in R93-4 at 17 III. Reg. 20568, effective November 22, 1993; amended in R93-16 at 18 Ill. Reg. 6741, effective April 26, 1994; amended in R94-7 at 18 Ill. Reg. 12175, effective July 29, 1994; amended in R94-17 at 18 III. Reg. 17490, effective November 23, 1994; amended in R95-6 at 19 III. Reg. 9522, effective June 27, 1995; amended in R95-20 at 20 Ill. Reg. 10963, effective August 1, 1996; amended in R96-10/R97-3/R97-5 at 22 Ill. Reg. 275, effective December 16, 1997; amended in R98-12 at 22 Ill. Reg. 7615, effective April 15, 1998; amended in R97-21/R98-3/R98-5 at 22 Ill. Reg. 17531, effective September 28, 1998; amended in R98-21/R99-2/R99-7 at 23 Ill. Reg. 1718, effective January 19, 1999; amended in R99-15 at 23 Ill. Reg. 9135, effective July 26, 1999; amended in R00-13 at 24 Ill. Reg. 9481, effective June 20, 2000.

#### SUBPART A: GENERAL PROVISIONS

### Section 721.101 Purpose and Scope

- a) This Part identifies those solid wastes which are subject to regulation as hazardous wastes under 35 Ill. Adm. Code 702, 703, 705 and 722 through 725 and 728, and which are subject to the notification requirements of Section 3010 of the Resource Conservation and Recovery Act (RCRA) (42 U.S.C. 6901 et seq.). In this Part:
  - Subpart A defines the terms "solid waste" and "hazardous waste." identifies those wastes which are excluded from
    regulation under 35 Ill. Adm. Code 702, 703, 705 and 722 through 726 and 728, and establishes special management
    requirements for hazardous waste produced by conditionally exempt small quantity generators and hazardous waste which
    is recycled.
  - 2) Subpart B sets forth the criteria used to identify characteristics of hazardous waste and to list particular hazardous wastes.
  - 3) Subpart C identifies characteristics of hazardous wastes.
  - 4) Subpart D lists particular hazardous wastes.
- b) Limitations on definition of solid waste:
  - 1) The definition of solid waste contained in this Part applies only to wastes that also are hazardous for purposes of the regulations implementing Subtitle C of RCRA. For example, it does not apply to materials (such as non-hazardous scrap, paper, textiles or rubber) that are not otherwise hazardous wastes and that are recycled.
  - 2) This Part identifies only some of the materials which are solid wastes and hazardous wastes under Sections 1004(5), 1004(27) and 7003 of RCRA. A material which is not defined as a solid waste in this Part, or is not a hazardous waste identified or listed in this Part, is still a hazardous waste for purposes of those Sections if, in the case of Section 7003 of RCRA, the statutory elements are established.
- For the purposes of Sections 721.102 and 721.106:
  - 1) A "spent material" is any material that has been used and as a result of contamination can no longer serve the purpose for which it was produced without processing.
  - 2) "Sludge" has the same meaning used in 35 III. Adm. Code 720.110.
  - 3) A "by-product" is a material that is not one of the primary products of a production process and is not solely or separately produced by the production process. Examples are process residues such as slags or distillation column bottoms. The term does not include a co-product that is produced for the general public's use and is ordinarily used in the form it is produced by the process.
  - 4) A material is "reclaimed" if it is processed to recover a usable product, or if it is regenerated. Examples are recovery of lead values from spent batteries and regeneration of spent solvents.
  - 5) A material is "used or reused" if it is either:
    - A) Employed as an ingredient (including use as an intermediate) in an industrial process to make a product (for example, distillation bottoms from one process used as feedstock in another process). However, a material will not satisfy this

iste subject to the reduced requirements of this Section may be mixed with non-hazardous waste and remain se reduced requirements even though the resultant mixture exceeds the quantity limitations identified in this s the mixture meets any of the characteristics of hazardous wastes identified in Subpart C.

ntity generator mixes a solid waste with a hazardous waste that exceeds a quantity exclusion level of this Section, subject to full regulation.

ally exempt small quantity generator's hazardous wastes are mixed with used oil, the mixture is subject to 35 Ill. 39 if it is destined to be burned for energy recovery. Any material produced from such a mixture by processing, ther treatment is also so regulated if it is destined to be burned for energy recovery.

at 23 Ill. Reg. 1718, effective January 19, 1999)

### Requirements for Recyclable Materials

#### terials

is wastes that are recycled are subject to the requirements for generators, transporters, and storage facilities of ns (b) and (c) of this Section, except for the materials listed in subsections (a)(2) and (a)(3) of this Section. s wastes that are recycled will be known as "recyclable materials".

wing recyclable materials are not subject to the requirements of this Section but are regulated under 35 Ill. Adm. Subparts C through H and all applicable provisions in 35 Ill. Adm. Code 702, 703, and 705.

clable materials used in a manner constituting disposal (35 Ill. Adm. Code 726.Subpart C);

urdous wastes burned for energy recovery in boilers and industrial furnaces that are not regulated under 35 III. Code 724.Subpart O or 725.Subpart O (35 III. Adm. Code 726.Subpart H);

clable materials from which precious metals are reclaimed (35 Ill. Adm. Code 726.Subpart F);

t lead-acid batteries that are being reclaimed (35 Ill. Adm. Code 726.Subpart G).

wing recyclable materials are not subject to regulation under 35 Ill. Adm. Code 722 through 726, 728, or 702, 15 and are not subject to the notification requirements of section 3010 of the Resource Conservation and Act:

strial ethyl alcohol that is reclaimed except that, unless provided otherwise in an international agreement as fied in 35 Ill. Adm. Code 722.158:

A person initiating a shipment for reclamation in a foreign country and any intermediary arranging for the shipment shall comply with the requirements applicable to a primary exporter in 35 Ill. Adm. Code 722.153; 722.156(a)(1) through (a)(4), (a)(6), and (b); and 722.157; shall export such materials only upon consent of the receiving country and in conformance with the USEPA Acknowledgment of Consent, as defined in 35 Ill. Adm. Code 722.Subpart E; and shall provide a copy of the USEPA Acknowledgment of Consent to the shipment to the transporter transporting the shipment for export;

Transporters transporting a shipment for export shall not accept a shipment if the transporter knows that the shipment does not conform to the USEPA Acknowledgement of Consent, shall ensure that a copy of the USEPA Acknowledgement of Consent accompanies the shipment, and shall ensure that it is delivered to the facility designated by the person initiating the shipment;

metal that is not excluded under Section 721.104(a)(13);

produced from the refining of oil-bearing hazardous wastes along with normal process streams at a petroleum ng facility if such wastes result from normal petroleum refining, production, and transportation practices (this ption does not apply to fuels produced from oil recovered from oil-bearing hazardous waste where such ered oil is already excluded under Section 721.104(a)(12)); leum refining wastes.

Hazardous waste fuel produced from oil-bearing hazardous wastes from petroleum refining, production, or ransportation practices or produced from oil reclaimed from such hazardous wastes, where such hazardous vastes are reintroduced into a process that does not use distillation or does not produce products from crude oil, o long as the resulting fuel meets the used oil specification under 35 Ill. Adm. Code 739.111 and so long as no ther hazardous wastes are used to produce the hazardous waste fuel;

fazardous waste fuel produced from oil-bearing hazardous waste from petroleum refining production, and ransportation practices, where such hazardous wastes are reintroduced into a refining process after a point at which contaminants are removed, so long as the fuel meets the used oil fuel specification under 35 Ill. Adm. lode 739.111; and

Dil reclaimed from oil-bearing hazardous wastes from petroleum refining, production, and transportation ractices, which reclaimed oil is burned as a fuel without reintroduction to a refining process, so long as the eclaimed oil meets the used oil fuel specification under 35 Ill. Adm. Code 739.111.

at is recycled and is also a hazardous waste solely because it exhibits a hazardous characteristic is not subject to ments of 35 Ill. Adm. Code 720 through 728, but it is regulated under 35 Ill. Adm. Code 739. Used oil that is cludes any used oil that is reused for any purpose following its original use (including the purpose for which the sinally used). Such term includes, but is not limited to, oil that is re-refined, reclaimed, burned for energy r reprocessed.

waste that is exported to or imported from designated member countries of the Organization for Economic n and Development (OECD), as defined in Section 722.158(a)(1), for the purpose of recovery is subject to the



September 15, 1997

Robert Gibbons LYON METAL PRODUCTS P.O. Box 671 Aurora, IL 60507-0671

Dear Mr. Gibbons:

In response to our phone conversation on September 11, I would like to confirm that the still bottoms generated from the distillation process are sent to a cement kiln as a fuel. Resource Recovery Group will take all of Lyon Metal Products' liquid solvent waste and transfer the solvent into a bulk tank. The solvent is recycled into a reclaimed solvent stream and dirty still bottoms. The reclaimed solvent is sent back to Lyon Metal Products for reuse. The still bottoms are blended into a fuel for the cement kiln. The blended fuel is sent to the cement kiln as Resource Recovery Group's waste.

If you need additional information, please give me a call.

Sincerely,

Sam Erwin

From: 630 892 2099

Page: 20/21

Date: 12/9/2004 10:31:36 AM

### CLAYTON CHEMICAL SITE (SOIL REMOVAL)

# PARTIES WITH VOLUMES GREATER THAN 75,000 GALLONS RECEIVING U.S. EPA GENERAL NOTICE LETTER DATED NOVEMBER 22, 2004

Tab Number	Company Name	Volume
1	000000000	96,862
2	A-1 Oil Corporation	759,597
3	AAD Distribution And Dry Cleaning Services, Inc	267,637
4	Afton Chemical Corporation	119,453
5	Allied Healthcare Products, Inc.	83,614
6	American Recreation Products, Inc.	111,151
7	Arris International, Inc.	93,542
8	Baker Petrolite Corporation	107,699
9	Bernis Company, Inc.	114,370
10	Bliss Waste Oil Company	900,047
11	Boben Manufacturing Company	283,855
12	Central Illinois Public Service Company	167,573
13	Cerro Flow Products, Inc.	274,422
14	Chemisphere Corporation	103,364
15	Chicago Drum, Inc.	152,447
16	Coleman Chemical, Inc.	195,946
17	Conopco, Inc.	76,538
18	Container Products, Inc.	85,577
19	Crown Beverage Packaging, Inc.	81,620
20	Curwood, Inc.	98,710
21	DaimlerChrysler Corporation	742,727
22	Diosynth, Inc.	222,653
23	DJR Holdings, Inc.	75,776
24	Don V. Davis Company	99,956
25	ExxonMobil Oil Corporation	161,975
26	Ford Motor Company	1,136,786
27	Hussman Corporation	449,032
28	Imperial Home Decor Group, Inc.	103,178
29	INX International Ink Company	134,821
30	Keystone Consolidated Industries, Inc.	128,603
31	Koch Industries, Inc.	118,044
32		719,202
33	Lear Corporation Lincoln Industrial Corporation	75,017
34	Lyon Metal Products, L.L.C.	
35		161,625
	Lyon Workspace Products, LLC	89,190
36	Mallinckrodt Inc.	973,817
	Marchem Corporation	101,273
38	Mcintyre Group, Ltd.	187,071
39	Metal Container Corporation	84,906
40	Mitsubishi Motors North America, Inc.	92,505
41	Monsanto Company	208,803
42	Nascote Industries, Inc.	1,925,386
43	National Coatings Inc	370,155
44	Nordenia U.S.A., Inc.	85,504
45	Norfolk Southern Railway Company	194,264
46	North East Recycling Transportation, Inc.	262,207
47	Olin Corporation	241,835
48	Penn Aluminum International, Inc.	124,365

Potentially Responsible Party Investigation Report for the Clayton/RRG Site

Calialatol Mallia		City	State	Zip
NASCOTE INDUSTRIES Total	1,925,386 18310 ENTERPRISE AVE	NASHVILLE	JIL	62263
FORD MOTOR CO Total	SGH BLVD	HAZELWOOD	MO	63042
SIGMA CHEMICAL Total		STLOUIS	MO	63178
MALLINCKRODT COMPANY INC Total	973,817 875 MCDONNELL BLVD	HAZELWOOD	Mo	83042
BLISS WASTE OIL Total	900,047 149 STRECKER RD	BALLWIN	MO.	63011
A-1 OIL CORP Total	759,597 149 STRECKER RD	BALLWIN	₩ O	63011
LEAR CORP IOWA CITY PLANT Total	719,202 2500 HIGHWAY 6 EAST	IOWA CITY	ē	52240
US PAINT CORP Total	586,092 831 S 21ST ST	ST LOUIS	Mo	63103
SUPERIOR EQUIP CO Total	513,175 3283 IVANHOE AVE	STLOUIS	Š	63130
STERLING LACQUER CO Total	507,952 3150 BRANNON AVE	ST LOUIS	N O	63130
PURETHANE INC Total	463,210 1 PURETHANE PLACE	WEST BRANCH	À	52358
HUSSMANN CORP Total	449,032 12999 ST CHARLES ROCK RD	BRIDGETON	š	63165
SWAN CORP Total	439,400 CENTRALIA INDUSTRIAL PARK	CENTRALIA	7	62801
UOP ING Total	409,832 8400 JOLIET RD	МССООК	7	60525
PRECOAT METALS Total	394,077 4301 S SPRING AVE	STLOUIS	NO.	8316
NATIONAL COATINGS INC Total	370,155 604 RTE 150 E	GALESBURG	F	614021314
BOBEN MFG Total	283,855 BOONVILLE INDUSTRIAL PARK	BOONVILLE	MO	65233
CERRO COPPER PROD CO Total	274,422 3000 MISSISSIPPI & RTE 3	SAUGET	7	62206
AAD DISTRIBUTION AND DRY CLEANING Total	267,637 2306 E. 38TH ST.	LOS ANGELES	CA	82008
NORTH EAST RECYCLING TRANS INC Total	262,207 3301 MONROE AVE	CLEVELAND	ᄋᆂ	44113
CHRYSLER CORP Total	256,356 1000 CHRYSLER DRIVE	AUBURN HILLS	<u>s</u>	48326
LYON METAL Total	250,815 1701 KENTUCKY ST	MICHIGAN CITY	Z	48360
TEVA PHARMACEUTICAL USA, INC Total	249,419 5000 SNYDER DR	MEXICO	MO	65265
CLIN CORP Total	241,835 427 N SHAMROCK ST	EAST ALTON	7	620241197
DIOSYNTH INC Total	222,653 2136 S. WOLF RD	DES PLAINES	F	8008
MONSANTO CO Total	208,803 800 N LINDBERGH BLVD	STLOUIS	MO	63167
COLEMAN CHEMICAL & OIL Total	195,946 75 SANGER ST	PEORIA	7	61602
NORFOLK SOUTHERN RAILWAY CO Total	194,284 3 COMMERCIAL PLACE, 17TH FLOOR	NORFOLK	VA	23510
MCINTYRE GROUP Total	187,071 24601 GOVERNORS HWY	UNIVERSITY PARK	7#	60466
AMEREN CIPS Total	167,573 1901 CHOUTEAU	STLOUIS	MO	66149
MOBIL OIL CORP Total	164,083 5959 LAS COLINAS BLVD	IRVING	×	75039
THEMEC CO INC Total	159,112,6800 CORPORATE DRIVE	KANSAS CITY	MO O	64120
ACME BARREL COMPANY Total	152,447 2300 WEST 13TH STREET	CHICAGO	72	80808
RILEY BROTHERS COMPANY Total	145,764)100 WASHINGTON ST	BURLINGTON	Ã	56201
UNIVERSAL PACKAGING CORP Total	144,690 4465 TABLE MOUNTAIN DRIVE	GOLDEN	8	80403
TITAN WHEEL CORP OF ILLINOIS Tola)	141,420 2701 SPRUCE ST	QUINCY	₽	62301
WALKER MIDSTREAM FUEL Total	138,380 532 & 2ND ST	PADUCAH	₹	42001
クラントンシェーフ・ファン・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・	136 154 34900 OVALABO OT CHITE BOO	WOOD! AND HILLS	C.	01387

REFER TO SECTION 1 FOR REPORT DESCRIPTION

		+		ringia di dia dia dia dia dia dia dia dia di	
Number	Quantity of Containers (Drums)	Total Quantity (Gallons)	Generator Signature Date	Facility Signature  Date	
6385025	24	1,320	1/10/1995	1/16/1995	
6385085	72	3,960	1/30/1995	2/2/1995	
6385113	10	550	2/9/1995	2/10/1995	
6385175		4,235	3/7/1995	3/8/1995	G-11
6385213	49	26,950	3/27/1995	4/3/1995	Gallons quantity appear to be off by a factor of 10
6385258		1,540	3/31/1995	4/3/1995	00 011 07 01 121 01 01 11
6385311	28	1,540	4/12/1995	4/17/1995	
6385312		715	4/13/1995	4/18/1995	
6385365 6385427	80	4,400 3,520	4/26/1995 5/17/1995	5/4/1995 5/18/1995	<del></del>
6385474	23	1,265	5/25/1995	6/13/1995	
6648014		1,375	6/9/1995	6/13/1995	
6648007		3,630	6/16/1995	6/21/1995	
6648127		3,905	7/6/1995	7/12/1995	
6648172		4,290 1,650	7/18/1995 7/31/1995	7/20/1995 8/2/1995	<u> </u>
6648251	66	3,630	8/8/1995	8/15/1995	
6648306	68	3,400	8/24/1995	8/25/1995	
6648362		3,500	9/6/1995	9/7/1995	
6648401	30	1,650	9/19/1995 9/20/1995	9/21/1995 9/21/1995	
6648442		1,650	10/2/1995	10/5/1995	
6648460		1,650	10/3/1995	10/5/1995	
6706507		4,455	10/20/1995	10/23/1995	
6648468		1,540	11/1/1995	11/3/1995	
6706549	<del></del>	1,100	11/2/1995 11/15/1995	11/3/1995 11/20/1995	<del> </del>
6706645	<del></del>	1,650	11/13/1995	11/30/1995	<del> </del>
6706652	<del></del>	990		<del></del>	
6706766	60	3,300	1/5/1996	1/16/1996	
6706800		2,805	1/19/1996		<del></del>
6706798	<del></del>	1,650 1,650	1/31/1996 2/9/1996		
670692		3,300			
670699		4,565			
6779571	+	3,300		<del></del>	
6779622	<del></del>	1,540			·
6779678		3,850 4,510			<del></del>
6779812	<del></del>	1,980			· <del></del>
6779856	52	2,860	7/30/1996	7/30/1996	
6779949	<del></del>	3,660	<del></del>	<del></del>	<del></del>
6779995 7256555	<del></del>	4,180 1,980			
725661	<del></del>	3,300			
7256612		1,320	10/7/100	10/10/100	
725664		3,350			<del></del>
7256694 7256672		1,650 5,705	<del></del>	<del></del>	
725669	<del></del>	4,400			
725672		1,650			
725673		2,860			<del></del>
725674	<del></del>	1,320			
725674: 7256760		4,400 1,249	<del></del>	<del></del>	<del></del>
725677	<del></del>	1,980		<del></del>	<del></del>
725678	7 58	3,074	5/19/1997	5/21/199	7
725681	<del></del>	2,332		<del></del>	
725681 725686		3,869	<del>+</del>	<del></del>	
725689		3,233	<del></del>	<del></del>	<del></del>
725699		2,805	<del></del>		
995 Totals		93,360	<del></del>		<u> </u>
1996 Totals	1.169	64,855	-4		
1997 Totals	592	30,680	4		
Grand Total		188,895		rofton	
otais with Mai	1,269	rected by reducing the	<u> </u>	i oi ten	
1996 Totals	1,169	64,855			
1997 Totals	592	30,680			
Grand Total	3,030	164,599	3		

₹.